

Clamps For FTTH Drop Cable

Stainless steel clamp for flat drop cable.

Feature:

- Acceptable for 1pc Flat drop cable.
- Max Span 50 meters.
- Material: 304 Stainless Steel



Specification

Application cable	Type	MBL,Kn	Cable size	Weight
Flat drop cable	JY-1600A	1.2	Up to 12*5	0.044

Clamp for flat drop cable.

Feature:

- Acceptable for up to 2pc Flat drop cable.
- Max Span 50 meters.
- Material: Coated Steel



Specification

Application cable	Type	MBL,Kn	Cable size (mm)	Weight
Flat drop cable	JY-1600B	1.2	Up to 15 *5	0.1kg
	JY-1600C	1.2	Up to 15 *5	0.1kg

Clamps For Self-Supported FTTH Drop Cable

Stainless steel clamp for flat drop cable.

Feature:

- Acceptable up to 2pc Self-Supported drop cable.
- Max Span 100 meters.
- MainBody Material: ABS Plastic



Specification

Application cable	Type	MBL,Kn	No of Cable	Weight (kg)
Flat drop cable	JY-1701	1.2	1pc	0.044
	JY-1702	1.2	2pc	0.064

Clamp for flat drop cable.

Feature:

- Acceptable up to 4 pc Self-Supported drop cable.
- Max Span 100 meters.
- Material: Coated Steel



Specification

Application cable	Type	MBL,Kn	No of Cable	Weight (kg)
Flat drop cable	JY-1701	1.2	1pc	0.06
	JY-1702	1.2	2pc	0.09
	JY-1704	1.2	4pc	0.11


Cable Fish For FTTH/drop

The emergence of access networks, including fiber to the business, fiber to the home and fiber to the premises, referred to collectively as FTTH, demands new optimized products. One such product is optical drop cable. To feed drop cable to each home, clamping device is necessary for the FTTH service.

Cable Fish



Installation



Specification

Application cable	Type	MBL,Kn	Cable size mm	Weight
Drop Cable	Cable fish	0.9-1Kn	2.0,3.0,3.3*2,5.0*2.0	0.023kg

Plastic clamp for drop cable

ACC



Installation



Specification

Application cable	Type	MBL,Kn	Cable size (mm)	Weight
Drop Cable	ACC	1.3Kn	2-6	0.047 kg

Brackets For Pole Mount

Specification:

Type	MBL, Kn	Weight,kg
ODN-F20	1.5	0.1



Brackets For Wall Mount

Specification:

Type	MBL, Kn	Weight,kg
ODN-F21	1.5	0.1
ODN-F22	1.0	0.04



ODN-F21



ODN-F22

Stainless Steel Band

FEATURES:

- Comply with AISI 201/ AISI202/AISI304



Specification:

Type	Size	Grade
C201 20*0.7*50	20mm W*0.7mmH*50mL	201
C202 20*0.7*50	20mm W*0.7mmH*50mL	202
C304 20*0.7*50	20mm W*0.7mmH*50mL	304

Stainless Steel Buckles

FEATURES:

- Comply with AISI304



HC-20-T

HC 20 L

Specification:

Type	Size	Grade
HC-20-T	20mm W*0.7mmH	304
HC-20-L	20mm W*0.7mmH	304
HC-10-T	10mm W*0.7mmH	304
HC-10-L	10mm W*0.7mmH	304

Hand-Guided Tools

Specification:

Type	weight
MBT-003	1.8kg
MBT-004	1.8kg



MBT-004



MBT-003